EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	516	(271/3.01,3.03).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 14:48
S2	9	("4436472" | "4647265" | "4799663" | "4802665" | "5147092" | "5244200" | "5364085" | "5375825").PN. OR ("6796558"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/04 14:58
S3	0	(271/58).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:00
S4	515	(271/198).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:00
S5	631	(271/198,199).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/04 15:09
S6	3156	"271"/$.ccls. and accumulat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:10
S7	423	"271"/$.ccls. and accumulator$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:18
S8	185	"270"/$.ccls. and accumulator$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:20
S9	1036	"198"/$.ccls. and accumulator$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:40
S10	1	10/707400	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 17:02

EAST Search History

S11	1	"5178379".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/04 17:03
S12	37	("2984482" | "3072397" | "3263992" | "3785256" | "4078790" | "4621966" | "4640506" | "4799663" | "4805891" | "4925180" | "4925362" | "5029845" | "5080347").PN. OR ("5178379"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/04 17:04
S13	0	"271"/$.ccls. and (metal near3 groove$2 near3 roller$2) with belt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 20:50
S14	1	"271"/$.ccls. and (metal with groove$2 with roller$2 with belt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 20:51
S15	10	"271"/$.ccls. and metal with groove$2 with (roller$2 or pulley$2) and belt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:18
S16	14	"271"/$.ccls. and (metal or steel) with groove$2 with (roller$2 or pulley$2) and belt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:22
S17	59	"198"/$.ccls. and (metal or steel) with groove$2 with (roller$2 or pulley$2) and belt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:28
S18	0	"198"/$.ccls. and ((pulley$2 or roller$2) with groove$2 near3 depth with (belt$2 near3 diameter$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:29
S19	0	"198"/$.ccls. and (pulley$2 or roller$2) with depth near3 groove$2 with (diameter$2 near3 belt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:30

EAST Search History

S20	3	"271"/$.ccls. and (pulley$2 or roller$2) with depth near3 groove$2 with (diameter$2 near3 belt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:34
S21	0	"198"/$.ccls. and (pulley$2 or roller$2) with depth near3 groove$2 with (diameter$2 near3 belt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:35
S22	0	"271"/$.ccls. and pressure with roller$2 with (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:37
S23	0	"271"/$.ccls. and force$2 with roller$2 with (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:37
S24	6	"271"/$.ccls. and (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:38
S25	2	"198"/$.ccls. and (static near3 friction near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 21:38